App F IX 4

194 4
(Mun cabal

File No 79-42

Previous References
ml 145-39-20-22
ml 105-34)-659

Serial Nos 7, 8, 33, 34
35

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 5

Part B for May 1944

SUBJECT

Re: Amendment to the Revised Rules regulating the custody of water in B Zone
Cy

The Comptroller Mysore Gazette

Ltr 11150 dated 5 5 44

Notifies

11/6

93-8 WW 13 & 42-6-44

General and Revenue Secretariat

[illegible] File No. [illegible] of [illegible] [illegible] [illegible]

File No 74465 / 6162 / 270 of 1942

General and Revenue Secretariat

Serial No

6 for general

Number 2 S.G

6-8-42

for

8 immediate

618/42

OFFICE OF THE [illegible] FOR L S G & P [illegible]
Date 7-8-42
No 1232

(Minute installed on the number)

To The Mil Comm. Bldg. thro DSS 8
No L2033 Dy 5-8-42
Calls for the opinion of the mil
el in the matter
To the Chief Engineer
No L 2188 Dy 20-8-42
Forwards a copy of the above
Letter No A3 324/42-43 from the mil
Comm. Bldg stating that the mil el
are agreeable to the proposed amendments
Submit for orders Refs Paras 3-8 supra

Secy 4
Cl 2 3/8

VCNB 2 3/1

pl put up draft
notice

[illegible]

submit with a draft notice for appn

VCNB 25/1

Previous publication is necessary
under the Statute Hence the draft notice
may be approved

Law Secy for 25/8/42

SECY LEG DEPT 7020 DRE

4408 ~

770/L √ 4408/L

Continuation Sheet mb File No. Current No 79 of 42 3rd Page 3

[illegible] moved

OFFICE OF THE MINISTER FOR L S G & P H
Date 26 Apr 1944
No 4658

[illegible]

for
the
1 2 44
cm
2-2 44
gone
[illegible]

To the Comptroller Gazette
No L 9735 Dt 17-3-44
Calls for objections or suggestions within a fort night from the date of the publication of the notice
No objections have been received so far in response to the notice calling for objections or suggestions
Submitted for orders
MB
15/4

A final draft notice may be put up
for
17/4/44

Submitted with a draft notice for appl.
MB
17/4

Law dept 18/4/44

May be approved.

cm
18 4 44
the
30 4 44

DEPUTY OFFICE
2 MAY 1944
No 6830

SECY LAW DEPT
10610
18 APR 1944
GOVT OF N

OFFICE OF THE MINISTER FOR L S G & P H
Date 20 4 44
No 7243

TYPIC SECTION
4 MAY 1944
CTT

cm
2-5-44

2/5/44

[illegible]
3/5/44

L 2111 S 4408 L

ntinuation Sheet nil File No / Current No 79 of 42 Page

35 | To H.O Compiler Bryson Gazette
RO L 11150 By 5/5/44
Notified to amendment.

BJ
17/6

GOVERNMENT OF MYSORE

6162/L-Dpt

Telegraphic Address

M 79-42-7

OFFICE OF the Chief Engineer of Mysore
Bangalore

No 19905
Encls

Date 14-4-42

To

The Secretary to Government,
Law Department,
Bangalore

Sir

Corrections to Rules 37, 51 and 52 of the revised rules for the regulation of water supply in Bangalore City

---

I have the honour to inform you that Rule 51 of the revised rules for the regulation of water supply in Bangalore City issued under Notification No L 2153-M1/105-34-9 dated 26th August 1939 was found to hit the consumer hard owing to the loss of benefit of the free allowance, cumulatively, consequent on the introduction of monthly billing system, the consumer being required to pay for the fraction of 1000 gallons in excess of ~~5000~~ 3000 gallons at Re 1/- as if it were 1000 gallons Proposals were made accordingly for suitably modifying Rule 51, (vide this office un-official No 589 dated 14th February 1940) and ~~xxxxx~~ it was, among other things, modified under Notification No L 1278/M1 145-39-22 dated 6th August 1940 On ground of experience since gained as regards the loss of Revenue to the Municipality and the unnecessarily heavy clerical work involved in following the modified rule, the Executive Engineer, Water Supply Division, has proposed to revert to the old rule only, since the quarterly billing system has again been revived The proposal to revert to the old rule as issued under Notification of 26th August 1939 seems to me to be acceptable

2 Besides, the Executive Engineer, Water Supply Division, proposes to modify rules 37 and 52 also, for reasons explained in the enclosed copy of statement received from him I agree with the Executive Engineer's suggestion especially as these are suggested from the point of view of increasing the Municipal revenue on the one hand

6

and saving of clerical work incidentally I request you to be so good as to obtain the sanction of Government to the modifications proposed

I have the honour to be
Sir,
Your most obedient servant,

11/11/42

Offg Chief Engineer of Mysore

TSRN

Public Works Department

Water Supply Division

Statement of corrections proposed to the existing rules

Existing Rule No.	Rule as existing	Modifications proposed	Reason for modification
51	Any consumer who during the period to which the meter reading relates has used water in excess of the free allowance shall pay for such excess at the rate of Rupee one per 1,000 gallons Fractions of 1000 gallons shall not be recorded on meter cards but will be carried forward for the next reading.	Second sentence of the Rule may be deleted and the following may be substituted Fractions of 1000 gallons shall not be charged for, if it is 500 gallons or less, but the excess shall be charged as if it were 1000 gallons, if it exceeds 500 gallons.	As per existing rule, if fractions are not recorded on the meter card there will be incorrect claims i.e , for example there is a consumption of 8990 gallons in a quarter and as per present rule the meter card will show a consumption of 8000 gallons and this will be entered in the ledger During the next quarter reading, the actual consumption will be 9010 gallons, but the consumption if carried forward will have to be 10,000 gallons This will involve of an additional charge of one Rupee which the consumer will have to pay as excess water charges though actually he has consumed the minimum prescribed during each quarter. Further, in some cases these fractions if carried forward, it would take a number of quarters to reach thousand gallons in the Ledgers which will increase work without a corresponding benefit It is just to avoid this extra work and unfair charge on the consumer that the new rule was introduced. But by omitting the consumption above 500 gallons up to 999 there will be loss of Revenue Hence it has been proposed to revert to the old rul

52.	Non-domestic concerns shall not be entitled to free allowance of water. All water supplied to such premises shall be charged for at Rupee one for every 1000 gallons	Up to 100 no charges 100 to 250 0-4-0 251 to 500 0-8-0 501 to 750 0-12-0 751 to 999 1-0-0 The above rates may be introduced as a supplemental.	In practice calculations are made as follows - Up to 500 gallons Nil 501 to 999 Rupee one. As per rule, calculations will have to be made to the very last gallon which will involve very heavy work. If the proposed scale is introduced, there will be no loss of Revenue and the work will also be made easy.
37	For every house connection etc ,	Omit the word "House" in the first line and "Premises" in the line 6 of the Rule.	It is the intention of Government to meter every connection whether house or garden or any concern having a water connection These words proposed to betomitted do not include Gardens or other concerns Hence corrections are proposed

---

Sd) M.L.Narasimha Iyengar

Executive Engineer, Water Supply Dn.

"C o p y"

12/

For Chief Engineer of Mysore.

TSRN

11/24

17

PUBLIC WORKS ~~SECRETARIAT~~, Department

No 9197
ENCLS

Dated Bangalore, 31/32 July 1942

FROM

The Chief Engineer of Mysore,
~~Secretary to Government~~
Public Works Department,
Bangalore

To

The Secretary to Government,
Law Department, Bangalore

SIR,

Subject - Corrections to Rules 37, 51 and 52 of the revised rules for the regulation of water supply in Bangalore City

I have the honour to invite reference to this office letter No 19905 dated 14th April 1942 and subsequent reminder thereon No 22716 dated 22/5/1942, regarding the above subject and to request you to be so good as to communicate early orders of Government in the matter as it is proposed to follow the modified proposals with effect from the commencement of the current official year

I have the honour to be,
S i r,
Your most obedient servant,

31/7/42

V M S/30th

CHIEF ENGINEER OF MYSORE

9

Appendix F G —1]

SUBJECT

Section ml

File No 79-42

Serial No 8

Diary No of letter replied to

No L. 2033

To Secc 2

General and Revenue Secretariat

( )

the *194*

The ml Commr, Bcalg, thro DOs

Sir,

Date of issue 15/8/42

I am directed to forward herewith a copy of letter No 19905 Dy 14-4-42 ~~received~~ recd from the Chief Engineer of Mysore P W-D together with a copy of its enclosure suggesting certain amendments to Rules 37, 51 & 52 of the revised rules regulating the supply of water in Bangalore city and to request you to be so good as to obtain & forward the opinion of the ml cl in the matter at a very early date —

Signed by Mr G R Rao

List of enclosures

Secc-GRW 5-8-42 E C 13/8/42

Copied by

Examined by

I have etc

6-8

Dy Secy to Govt

6/8

WD 04161—GPB—60 000—24 10 41

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L.2033-8/Ml 79-42.8 *Dated Bangalore,* 15th August 1942.

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore
Law Department

To

The Municipal Commissioner,
Bangalore City,

through the President, Municipal Council, Bangalore City.

Sir,

I am directed to forward herewith copy of letter No. 19905, dated the 14th April 1942, received from the Chief Engineer of Mysore ~~xxxxxx~~ Public Works Department, together with a copy of its enclosure suggesting certain amendments to Rules 37, 51 and 52 of the revised rules regulating the supply of water in Bangalore city and to request you to be so good as to obtain and forward the opinion of the Municipal Council in the matter at a very early date.

I have the honour to be
Sir,
Your most obedient servant,

(Sd) C Narayanaswamy Naidu
~~For~~ Secretary to Government,
Law Department

Memo No - L 2188

Dated, Bangalore, the 20th August 1942

Copy of the above is forwarded, with compliments, to the Chief Engineer, with reference to his letter No.2197, dated the 31st July 1942, for information.

By order,

(Draft) For Secretary to Government,
Law Department

BANGALORE CITY MUNICIPALITY

412

No 13-324/42-43

MUNICIPAL OFFICES

Bangalore 4th January 1944

FROM

P SURYANARAYANA SETTI, ESQ, BA, LL B
MUNICIPAL COMMISSIONER
Bangalore City

GEN & J V SECRETARIAT
4408
15 JAN 1944
L S C BRANCH

TO

Narayanaswamy Naidu, Esq, B A, B L,

Secretary to the Government
of His Highness the Maharaja of Mysore
Law Department Bangalore

Mil 79-42-33

Sir

With reference to correspondence ending with this office D O of even No dated 24-8-1943 and with reference to your letter No L 2033/M1 79-42-8 dated 15-8-1942 regarding certain amendments suggested to Rules 37, 51 and 52 of the Water Supply Rules, I have the honour to state that the Municipal Council at their meeting held on 19-11-1943, have approved of the above modifications, as proposed by the Chief Engineer A copy of their resolution is enclosed herein, for reference

I have the honour to be,
Sir,
Your most obedient servant,

P Suryanarayana Setti
Municipal Commissioner

mlt

Forwarded with compliments

President-in-charge
(absent from Head-quarters)

13

PROCEEDI CS OF E LEGI'C O' COU CIL H D 19-11-43

10 Opinion of he Special Committee dated 8th Novemaber 1943 re certain amendments to Rules 37, 51 and 52 of the revised rules for regulating water supply in Ban alore City

Resolution - Approved

Sd V Govindarajulu,

Hon President

"Copy"

Municipal Commissioner

mlt

14

Proceedings of the Adjourned Ordinary General Meeting of the Council held on Friday the 19th November 1915 at 4 P.M. in the City Municipal Offices, Bangalore City.

Present.

V.A. Govindarajulu, Esq., B.A., B.L. (Hon. President)

Messrs.	Messrs.
1. W.H. Hanumanthappa	10. H.R. Guruv Reddy, B.A., LL.B.
2. R. Subbamma	11. C. Krishna Rao
3. T.L. Gangoji Rao	12. M. Krishnaswami Pillay
4. V.Venkataramanappa	13. D. Subbiah, B.Sc., LL.B.
5. G. Nanjappa	14. Kota Annakshiah Setty
6. B.S. Shankarappa Setty	15. H.M. Ghouse
7. V. Venkataswamy Chetty	16. Mirza Azeezulla Beig
8. K. Ganga Setty	17. A.R.A. Basith
9. K.N. Ramaswami, B.A.	18. H.B. Mohamed Khan
	19. V. Chikkayellappa.

Absent

Messrs.	Messrs.
1. Ramalal Thiwari	6. C.N. Narasinga Rao, B.A., B.L.
2. L.S. Raju, M.A., (Hons.) B.L.	7. M.A. Gopalaswamy Iyengar, M.A., B.L.
3. K. Hanumanthaiya, B.A., LL.B.	8. P.R. Ramiah, B.Sc.
4. T. Gangadharaswamy	9. M.V. Narayana Iyengar, B.A., B.L.
5. K. Shamarajaiengar, B.A.	10. Dr. M. Royan, M.D.

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

No 9735-
ML79-43-34 General and Revenue Secretariat

Dated Bangalore, 10th March 1944.
17th

NOTIFICATION

In exercise of the powers vested in them under Section 228 - Sub-section (4) of the Mysore City Municipalities Act, 1933, as amended from time to time, the Government propose to make the following amendments in the revised Rules regulating the supply of water in Bangalore City issued with Notification No.L.2153/Ml.105-34-9 dated 26th August 1939 as amended by Notification No.L.1278/Ml.145-39-22 dated 6th August 1940.

Any objections or suggestions must be preferred to the govt within a fortnight from the date of the publication of this Notification in the Mysore Gazette after which they will not be taken into consideration by Government :-

(1) Rule 37 :-

In line 1 omit the word 'House' and for the word "Premises" in line 6 thereof, substitute the word "connection".

(2) Rule 51 :-

For the second sentence of this rule, substitute following :-

"Fractions of 1,000 gallons shall not be charged if it be 500 gallons or less, but the excess 500 gallons, if any, shall be charged for, as were 1,000 gallons."

(3) Rule 52 :-

For the second sentence, substitute the follow :-

"All the water supplied to such premises shall be charged for as per following schedule :-

Up to 100 gallons	....	No charges.
From 101 to 250 gallons	....	0 - 4 - 0.
" 251 to 500 "	....	0 - 8 - 0.
" 501 to 750 "	....	0 -12 - 0.
" 751 to 1,000 "	....	1 - 0 - 0.
Over 1000 gallons for every 1,000 "	....	1 - 0 - 0.

By Order,

Secretary to Government
Law Department.

To - The Compiler, Mysore Gazette, for publication in Part IV of the

P.T.O.

Mysore Gazette, and supply of 20 spare copies each to the Secretar the Chief Engineer and the Municipal Commissioner, Bangalore City through the President.

~~Exxxxxdiaxx~~

NOITAOIFITC.1

Cpg/14.

REMINDERS



Appendix F G —1]

SUBJECT

17

Diary No of letter replied to

General and Revenue Secretariat

( )

the 194

Date of issue 14/3/1940

Signed by

as amended vide no. L 1978/ML 145-39-22 dt 8-6-1940

List of enclosures

Copied by

Examined by 2

Section ML

File No 79-42

Serial No 34

Notification No L 9735

To

I have ~~The following draft amendments which are proposed to be made by Govt in the revised Rules~~ regulating the supply of water in Bangalore city issued with notfn no L 2153/ML 105-34-9 dt 26-8-39 in exercise of the Powers Vested in them under Sub section (1) of section 228 of the Mysore City Mnicipalities Act 1933, as amended from time to time, are published under Sub Section (4) of the said Section for the information of all Persons interested. Any objection

2

or suggestions must be preferred
within a fortnight from the
date of the publication of this
Notice in the Bengal Gazette
after which ~~date~~ they will not
be taken into Consideration by Govt

(Here enter the amendments
as noted in the Statement annexed)
~~Statement "A"~~)

Pro order

on

25-1-97

from Secy to Govt
Ldv Dept

25/1

To the Compiler Bengal Gazette, for Publication in
Part IV of the Gazette
and supply of ~~20~~ 20 spare copies each
to the Secretary, the Chief Engineer & the Municipal Engr
thro" the P&S

Memo L 97369 17 3 Ldv
a/c is forwarded W/C to the Secl con
Draft Engr to the Govt for info"

Re

Dy Sec to Govt

2. In Rule 51 of this rule,

In the second sentence, substitute the following

Fractions of 1000 gallons shall not be charged for, if it be 500 gallons or less, but the excess over 500 gallons, if any, shall be charged for, as if it were 1,000 gallons

~~if it exceed~~

3. In Rule 52,

In the second sentence, substitute the following

All the water supplied to such premises shall be charged for as per following schedule:—

Upto	100 gallons	no charge
From 101 to 250	gallons	0-4-0
From 251 — 500	"	0-8-0
" 501 — 750	"	0-12-0
" 751 — 1000	"	1-0-0
one 1000 gallons for every 1000 gallons	"	1-0-0

8. In Rule 37

omit the word water in line 1 & for the words "premises" in line 6 thereof, substitute the word "connection" -

Jam

In Log by agent
JH

P XI—1!

1962

13

16

The Apple[illegible]

Hall 12-5-63

Drainage scheme

Ridge Town

Appendix F G —1]

SUBJECT

20

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Date of issue 5/5

Signed by Mr L D Rao

List of enclosures

Codied by

Examined by

Section ML

Revenue File No 79-42

Serial No 35

No L 11150

To Notification

In Exercise of the Powers Vested in them under section 228 (4) of the Mysore City Municipalities Act 1933, as amended from time to time, Govt are pleased to make the ~~following~~ following amendments in the revised Rules regulating the Supply of water in Bangalore city issued with notification No L 2153/ML 105-34-98 26th Aug 1939, as amended by notification No L 1278/ML 145-39-22 Dt 6-8 1940. —

WD 04161—GPB—60 000—24 10 41

P.T.O.

Amendments

(1) Rule 37 :-

* Omit the word 'House' in line 1 and for the word "Premises" in line 6 thereof, substitute the word "Connection"

2)

(2) Rule 51

For the second sentence of this rule, substitute the following -

" Fractions of 1,000 gallons shall not be charged for, if it be 500 gallons or less, but the excess over 500 gallons, if any, shall be charged for, as if it were 1000 gallons."

(3) Rule 52 :-

For the second sentence, substitute the following :-

"All the water supplied to such premises shall be charged for as per following schedule -

Up to 100 gallons	..	No charges
From 101 to 250 gallons	.... Rs.	0 - 4 - 0.
" 251 to 500 "	.. Re	0 - 8 - 0.
" 501 to 750 "	.... Rs	0 -12 - 0.
" 751 to 1,000 "	. Rs	1 - 0 - 0
Over 1000 gallons for every 1000 "	. Rs	1 - 0 - 0.

By order,
for Secy to Govt
W.D. Law Deptt
17/4

To the Comptroller Mysore Gazette for publication & supply of 50 copies to the Secrett & 20 copies each to the Mc Comm Police & the Chief Engineer of Mysore, P.W.D.—

for

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat,

No L 11152 - and 79-42-35 — *Dated Bangalore,* 5-5 May 19 44

NOTIFICATION

In exercise of the powers vested in them under section 248(4) of the Mysore City Municipalities Act, 1933, as amended from time to time Government are pleased to make the following amendments in the revised Rules regulating the Supply of water in Bangalore city issued with notification No.L.2153/41.103-34-9 dated 26th August 1939, as amended by Notification No.L.1275/41.141-39-22 dated 6th August 1940:-

AMENDMENTS

(1) Rule 37:-

* Omit the word 'House' in line 1 and for the word "premises" in line 6 thereof, substitute the word "Connection".

(2) Rule 51:-

For the second sentence of this rule, substitute the following:-

* Fractions of 1000 gallons shall not be charged for, if it is 500 gallons or less, but the excess over 500 gallons, if any, shall be charged for, as if it were 1000 gallons."

(3) Rule 53:-

For the second Sentence, substitute the following:-

* All the water supplied to such premises shall be charged for as per following schedule:-

Up to 100 gallons	..... No charges.
From 101 to 250 gallons	..... As. 0- 4 - 0
" 251 to 500 gallons	.....As. 0- 8 - 0
" 501 to 750 gallons	.....As. 0-12 - 0
" 751 to 1,000 gallons	.....As. 1- 0 - 0
Over 1,000 gallons for every 1000 gallons:	.....As. 1- 0 - 0

By Order,

for Secretary to Government,
Law Department.

To

The Compiler, Mysore Gazette, for publication in Part IV of the Gazette and supply of 50 copies to the Secretariat and 20 copies each to the Municipal Commissioner, Bangalore city and the Chief Engineer of Mysore, Public Works Department.

Svr.